

RAPORT DE INCERCARE nr. / data emiterii: PT022176 / 13-01-2022
Nume client: EURO APAVOL SA / STR. GHEORGHE DINCA, SERG. nr. 19 A- 19B-19C VOLUNTARI
Provenienta probei: proba apa potabila
Adresa prelevare: Str. Ghe. Dinca, Nr 19 ABC, Voluntari - iesire bazin
Data prelevării probei - ora prelevare: 10-01-2022 08:00
Data primirii probei / data efectuării analizelor: 10-01-2022 10:42 / 10-01-2022 - 13-01-2022
Cine a recoltat proba: CLIENT EXTERN
I.DETERMINARI FIZICO-CHIMICE

Nr. crt.	Indicatori organoleptici si fizico-chimici	Unitate de masura	Valori obtinute	Valori maxim admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Miros*	-	Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN 1622: 2007
2	Culoare*	grade / nm pH/Temp.(°C)	1 / 455 7.80/21.3 Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN ISO 7887: 2012
3	pH	pH/Temp.(°C)	7.80/21.3	≥6.5; ≤9.5	SR EN ISO 10523:2012
4	Conductivitate	µS/cm la 25°C	525	2500	SR EN 27888:1997
5	Amoniu	mg/l	0.322	0.50	SR ISO 7150-1:2001
6	Fier	µg/l	46	200	SR ISO 6332:1996 SR ISO 6332:1996/C91:2006
7	Duritate totala	grade germane	8.38	≥ 5	SR ISO 6059:2008
8	Aluminiu	µg/l	24	200	SR ISO 10566:2001
9	Oxidabilitate (metoda indicelui de permanganat)	mgO ₂ /l	1.12	5.0	SR EN ISO 8467:2001
10	Clor rezidual liber	mg/l	0.12 ¹	≥0.10; ≤0.50	SR EN ISO 7393-2:2018
11	Turbiditate	NTU	0.916	≤ 5.0	SR EN ISO 7027-1:2016
12	Nitriti	mg/l	(0.021) <0.033	0.50	SR EN ISO 13395:2002
13	Nitrati	mg/l	3.28	50	SR EN ISO 13395:2002

*2 h:42 min - reprezinta diferenta de timp intre prelevare si analiza; maxim 6 ore

II.DETERMINARI MICROBIOLOGICE

Nr. crt.	Indicatori microbiologici	Unitate de masura	Valori obtinute	Valori admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Bacterii coliforme	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
2	Escherichia coli	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
3	Enterococi	UFC/100 ml	0	0	SR EN ISO 7899 - 2 : 2002
4	Numar de colonii la 22° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004
5	Numar de colonii la 37° C	UFC/ml	2	Nici o modificare anormala	SR EN ISO 6222:2004

 *Nota: Apa netratata. Nici o modificare anormala: nr. de colonii la 37°C/22°C < de 300 UFC/ml.
 Apa tratata. Nici o modificare anormala: nr. de colonii la 37°C < 20 UFC/ml.
 nr. de colonii la 22°C < 100 UFC/ml.

Informatiile privind prelevarea probei se regasesc in Formularul de receptie PT022176 / 10-01-2022

 Verificat / Aprobat / Sef laborator
 Nicoleta Ramiresi

 Intocmit inginer chimist
 Anca Iosub

 Intocmit biolog
 Liliana Albu





 Rezultatele incercarilor se refera numai la proba de apa analizata. Proba de apa are caracter momentan.
 Proba se preleveaza conform procedurii generale cod: LCCAP – PG 7.3.
 Raportul de incercare se completeaza in doua exemplare.

* Incercare neacreditata.

 Document privat, emis de Apa Nova Bucuresti SA, contine date cu caracter personal © – a nu se difuza neautorizat in extern.
 Reproducerea partiala este interzisa fara acordul laboratorului.
 Cod LCCAP – F 7.8.1/Rev.2/03.2020.

Rezultatele notate "<" reprezinta valori situate sub limita de cuantificare a metodei, valorile scrise sub forma "()" sunt estimative. CMA: concentratia maxima admisa.

RAPORT DE INCERCARE nr. / data emiterii: PT022177 / 13-01-2022
Nume client: EURO APAVOL SA / STR. GHEORGHE DINCA, SERG. nr. 19 A- 19B-19C VOLUNTARI
Provenienta probei: proba apa potabila
Adresa prelevare: B-dul Voluntari Nr 72 - Primarie
Data prelevării probei - ora prelevare: 10-01-2022 08:20
Data primirii probei / data efectuării analizelor: 10-01-2022 10:48 / 10-01-2022 - 13-01-2022
Cine a recoltat proba: CLIENT EXTERN
I.DETERMINARI FIZICO-CHIMICE

Nr. crt.	Indicatori organoleptici si fizico-chimici	Unitate de masura	Valori obtinute	Valori maxim admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Miros*	-	Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN 1622: 2007
2	Culoare*	grade / nm pH/Temp.(°C)	1 / 455 7.84/22 Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN ISO 7887: 2012
3	pH	pH/Temp.(°C)	7.84/22	≥6.5; ≤9.5	SR EN ISO 10523:2012
4	Conductivitate	µS/cm la 25°C	553	2500	SR EN 27888:1997
5	Amoniu	mg/l	0.363	0.50	SR ISO 7150-1:2001
6	Fier	µg/l	47	200	SR ISO 6332:1996 SR ISO 6332:1996/C91:2006
7	Duritate totala	grade germane	8.49	≥ 5	SR ISO 6059:2008
8	Aluminiu	µg/l	20	200	SR ISO 10566:2001
9	Oxidabilitate (metoda indicelui de permanganat)	mgO2/l	1.24	5.0	SR EN ISO 8467:2001
10	Clor rezidual liber	mg/l	0.16 ¹	≥0.10; ≤0.50	SR EN ISO 7393-2:2018
11	Turbiditate	NTU	0.229	≤ 5.0	SR EN ISO 7027-1:2016
12	Nitriti	mg/l	(0.029) <0.033	0.50	SR EN ISO 13395:2002
13	Nitrati	mg/l	3.01	50	SR EN ISO 13395:2002

¹2 h:28 min - reprezinta diferenta de timp intre prelevare si analiza; maxim 6 ore

II.DETERMINARI MICROBIOLOGICE

Nr. crt.	Indicatori microbiologici	Unitate de masura	Valori obtinute	Valori admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Bacterii coliforme	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
2	Escherichia coli	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
3	Enterococi	UFC/100 ml	0	0	SR EN ISO 7899 - 2 : 2002
4	Numar de colonii la 22° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004
5	Numar de colonii la 37° C	UFC/ml	3	Nici o modificare anormala	SR EN ISO 6222:2004

¹*Nota: Apa netratata. Nici o modificare anormala: nr. de colonii la 37°C/22°C < de 300 UFC/ml.

Apa tratata. Nici o modificare anormala: nr. de colonii la 37°C < 20 UFC/ml.

nr. de colonii la 22°C < 100 UFC/ml.

Informatiile privind prelevarea probei se regasesc in Formularul de receptie PT022177 / 10-01-2022

 Verificat / Aprobat / Sef laborator
 Nicoleta Ramiresi

 Intocmit inginer chimist
 Anca Iosub

 Intocmit biolog
 Liliana Albu




Rezultatele incercarilor se refera numai la proba de apa analizata. Proba de apa are caracter momentan.

Proba se preleveaza conform procedurii generale cod: LCCAP - PG 7.3.

Raportul de incercare se completeaza in doua exemplare.

* Incercare neacreditata.

Document privat, emis de Apa Nova Bucuresti SA, contine date cu caracter personal © - a nu se difuza neautorizat in extern.

Reproducerea partiala este interzisa fara acordul laboratorului.

Cod LCCAP - F 7.8.1/Rev.2/03.2020.

Rezultatele notate * < > reprezinta valori situate sub limita de cuantificare a metodei, valorile scrise sub forma "()" sunt estimative. CMA: concentratia maxima admisa.

RAPORT DE ÎNCERCARE nr. / data emiterii: PT022178 / 13-01-2022
Nume client: EURO APAVOL SA / STR. GHEORGHE DINCA, SERG. nr. 19 A- 19B-19C VOLUNTARI

 Provenienta probei: **proba apa potabila**

Adresa prelevare: B-dul Voluntari Nr 100 - Gradinita Nr 2

 Data prelevării probei - ora prelevare: **10-01-2022 08:45**

 Data primirii probei / data efectuării analizelor: **10-01-2022 10:50 / 10-01-2022 - 13-01-2022**
Cine a recoltat proba: CLIENT EXTERN
I.DETERMINARI FIZICO-CHIMICE

Nr. crt.	Indicatori organoleptici si fizico-chimici	Unitate de masura	Valori obtinute	Valori maxime admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Miros*	-	Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN 1622: 2007
2	Culoare*	grade / nm pH/Temp.(°C)	1 / 455 7.90/21.5 Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN ISO 7887: 2012
3	pH	pH/Temp.(°C)	7.90/21.5	≥6.5; ≤9.5	SR EN ISO 10523:2012
4	Conductivitate	µS/cm la 25°C	583	2500	SR EN 27888:1997
5	Amoniu	mg/l	0.417	0.50	SR ISO 7150-1:2001
6	Fier	µg/l	52	200	SR ISO 6332:1996 SR ISO 6332:1996/C91:2006
7	Duritate totala	grade germane	8.55	≥ 5	SR ISO 6059:2008
8	Aluminiu	µg/l	21	200	SR ISO 10566:2001
9	Oxidabilitate (metoda indicelui de permanganat)	mgO ₂ /l	1.12	5.0	SR EN ISO 8467:2001
10	Clor rezidual liber	mg/l	0.18 ¹	≥0.10; ≤0.50	SR EN ISO 7393-2:2018
11	Turbiditate	NTU	0.298	≤ 5.0	SR EN ISO 7027-1:2016
12	Nitriti	mg/l	0.040	0.50	SR EN ISO 13395:2002
13	Nitrati	mg/l	2.48	50	SR EN ISO 13395:2002

¹2 h:05 min - reprezinta diferenta de timp intre prelevare si analiza; maxim 6 ore

II.DETERMINARI MICROBIOLOGICE

Nr. crt.	Indicatori microbiologici	Unitate de masura	Valori obtinute	Valori admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Bacterii coliforme	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
2	Escherichia coli	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
3	Enterococi	UFC/100 ml	0	0	SR EN ISO 7899 - 2 : 2002
4	Numar de colonii la 22° C	UFC/ml	2	Nici o modificare anormala	SR EN ISO 6222:2004
5	Numar de colonii la 37° C	UFC/ml	2	Nici o modificare anormala	SR EN ISO 6222:2004

^{*}Nota: Apa netratata. Nici o modificare anormala: nr. de colonii la 37°C/22°C < de 300 UFC/ml.

Apa tratata. Nici o modificare anormala: nr. de colonii la 37°C < 20 UFC/ml.

nr. de colonii la 22°C < 100 UFC/ml.

Informatiile privind prelevarea probei se regasesc in Formularul de receptie PT022178 / 10-01-2022

 Verificat / Aprobat / Sef laborator
 Nicoleta Ramiresi

 Intocmit inginer chimist
 Anca Iosub

 Intocmit biolog
 Liliana Albu






Rezultatele incercarilor se refera numai la proba de apa analizata. Proba de apa are caracter momentan.

Proba se preleveaza conform procedurii generale cod: LCCAP - PG 7.3.

Raportul de incercare se completeaza in doua exemplare.

^{*} Incercare neacreditata.

Document privat, emis de Apa Nova Bucuresti SA, contine date cu caracter personal © - a nu se difuza neautorizat in extern.

Reproducerea partiala este interzisa fara acordul laboratorului.

Cod LCCAP - F 7.8.1/Rev.2/03.2020.

Rezultatele notate "<" reprezinta valori situate sub limita de cuantificare a metodei, valorile scrise sub forma "()" sunt estimative. CMA: concentratia maxima admisa.

RAPORT DE INCERCARE nr. / data emiterii: PT022179 / 13-01-2022
Nume client: EURO APAVOL SA / STR. GHEORGHE DINCA, SERG. nr. 19 A- 19B-19C VOLUNTARI
Provenienta probei: proba apa potabila
Adresa prelevare: B-dul Dunarii -Voluntari - Cresa Nr 2 Prichindel aferent F10
Data prelevării probei - ora prelevare: 10-01-2022 09:10
Data primirii probei / data efectuării analizelor: 10-01-2022 10:52 / 10-01-2022 - 13-01-2022
Cine a recoltat proba: CLIENT EXTERN
I.DETERMINARI FIZICO-CHIMICE

Nr. crt.	Indicatori organoleptici si fizico-chimici	Unitate de masura	Valori obtinute	Valori maxim admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Miros*	-	Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN 1622: 2007
2	Culoare*	grade / nm pH/Temp.(°C)	1 / 455 7.85/21.9 Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN ISO 7887: 2012
3	pH	pH/Temp.(°C)	7.85/21.9	≥6.5; ≤9.5	SR EN ISO 10523:2012
4	Conductivitate	µS/cm la 25°C	550	2500	SR EN 27888:1997
5	Amoniu	mg/l	0.370	0.50	SR ISO 7150-1:2001
6	Fier	µg/l	48	200	SR ISO 6332:1996 SR ISO 6332:1996/C91:2006
7	Duritate totala	grade germane	8.66	≥ 5	SR ISO 6059:2008
8	Aluminiu	µg/l	20	200	SR ISO 10566:2001
9	Oxidabilitate (metoda indicelui de permanganat)	mgO ₂ /l	1.56	5.0	SR EN ISO 8467:2001
10	Clor rezidual liber	mg/l	0.19 ¹	≥0.10; ≤0.50	SR EN ISO 7393-2:2018
11	Turbiditate	NTU	0.327	≤ 5.0	SR EN ISO 7027-1:2016
12	Nitriti	mg/l	(0.027) <0.033	0.50	SR EN ISO 13395:2002
13	Nitrati	mg/l	3.32	50	SR EN ISO 13395:2002

¹ 1 h:42 min - reprezinta diferenta de timp intre prelevare si analiza; maxim 6 ore

II.DETERMINARI MICROBIOLOGICE

Nr. crt.	Indicatori microbiologici	Unitate de masura	Valori obtinute	Valori admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Bacterii coliforme	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
2	Escherichia coli	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
3	Enterococi	UFC/100 ml	0	0	SR EN ISO 7899 - 2 : 2002
4	Numar de colonii la 22° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004
5	Numar de colonii la 37° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004

*Nota: Apa netratata. Nici o modificare anormala: nr. de colonii la 37°C/22°C < de 300 UFC/ml.

Apa tratata. Nici o modificare anormala: nr. de colonii la 37°C < 20 UFC/ml.

nr. de colonii la 22°C < 100 UFC/ml.

Informatiile privind prelevarea probei se regasesc in Formularul de receptie PT022179 / 10-01-2022

 Verificat / Aprobat / Sef laborator
 Nicoleta Ramiresi

 Intocmit inginer chimist
 Anca Iosub

 Intocmit biolog
 Liliana Albu






Rezultatele incercarilor se refera numai la proba de apa analizata. Proba de apa are caracter momentan.

Proba se preleveaza conform procedurii generale cod: LCCAP – PG 7.3.

Raportul de incercare se completeaza in doua exemplare.

* Incercare neacreditata.

Document privat, emis de Apa Nova Bucuresti SA, contine date cu caracter personal © – a nu se difuza neautorizat in extern.

Reproducerea partiala este interzisa fara acordul laboratorului.

Cod LCCAP – F 7.8.1/Rev.2/03.2020.

Rezultatele notate "<" reprezinta valori situate sub limita de cuantificare a metodei, valorile scrise sub forma "()" sunt estimative. CMA: concentratia maxima admisa.

RAPORT DE INCERCARE nr. / data emiterii: PT022180 / 13-01-2022
Nume client: EURO APAVOL SA / STR. GHEORGHE DINCA, SERG. nr. 19 A- 19B-19C VOLUNTARI

 Provenienta probei: **proba apa potabila**

Adresa prelevare: Str Eroiu Serban Ion Nr 1 - Voluntari, Scoala Generala Nr 3

 Data prelevarii probei - ora prelevare: **10-01-2022 09:40**

 Data primirii probei / data efectuării analizelor: **10-01-2022 10:53 / 10-01-2022 - 13-01-2022**
Cine a recoltat proba: CLIENT EXTERN
I.DETERMINARI FIZICO-CHIMICE

Nr. crt.	Indicatori organoleptici si fizico-chimici	Unitate de masura	Valori obtinute	Valori maxim admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Miros*	-	Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN 1622: 2007
2	Culoare*	grade / nm pH/Temp.(°C)	1 / 455 7.59/21.8 Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN ISO 7887: 2012
3	pH	pH/Temp.(°C)	7.59/21.8	≥6.5; ≤9.5	SR EN ISO 10523:2012
4	Conductivitate	µS/cm la 25°C	376	2500	SR EN 27888:1997
5	Amoniu	mg/l	(0.004) <0.05	0.50	SR ISO 7150-1:2001
6	Fier	µg/l	(8) <10	200	SR ISO 6332:1996 SR ISO 6332:1996/C91:2006
7	Duritate totala	grade germane	8.88	≥ 5	SR ISO 6059:2008
8	Aluminiu	µg/l	43	200	SR ISO 10566:2001
9	Oxidabilitate (metoda indicelui de permanganat)	mgO2/l	1.43	5.0	SR EN ISO 8467:2001
10	Clor rezidual liber	mg/l	0.44 ¹	≥0.10; ≤0.50	SR EN ISO 7393-2:2018
11	Turbiditate	NTU	0.417	≤ 5.0	SR EN ISO 7027-1:2016
12	Nitriti	mg/l	(0) <0.033	0.50	SR EN ISO 13395:2002
13	Nitrati	mg/l	5.58	50	SR EN ISO 13395:2002

¹ h:13 min - reprezinta diferenta de timp intre prelevare si analiza; maxim 6 ore

II.DETERMINARI MICROBIOLOGICE

Nr. crt.	Indicatori microbiologici	Unitate de masura	Valori obtinute	Valori admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Bacterii coliforme	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
2	Escherichia coli	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
3	Enterococi	UFC/100 ml	0	0	SR EN ISO 7899 - 2 : 2002
4	Numar de colonii la 22° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004
5	Numar de colonii la 37° C	UFC/ml	1	Nici o modificare anormala	SR EN ISO 6222:2004

^{*}Nota: Apa netratata. Nici o modificare anormala: nr. de colonii la 37°C/22°C < de 300 UFC/ml.

Apa tratata. Nici o modificare anormala: nr. de colonii la 37°C < 20 UFC/ml.

nr. de colonii la 22°C < 100 UFC/ml.

Informatiile privind prelevarea probei se regasesc in Formularul de receptie PT022180 / 10-01-2022

 Verificat / Aprobat / Sef laborator
 Nicoleta Ramiresi

 Intocmit inginer chimist
 Anca Iosub

 Intocmit biolog
 Liliana Albu






Rezultatele incercarilor se refera numai la proba de apa analizata. Proba de apa are caracter momentan.

Proba se preleveaza conform procedurii generale cod: LCCAP – PG 7.3.

Raportul de incercare se completeaza in doua exemplare.

^{*} Incercare neacreditata.

Document privat, emis de Apa Nova Bucuresti SA, contine date cu caracter personal © – a nu se difuza neautorizat in extern.

Reproducerea partiala este interzisa fara acordul laboratorului.

Cod LCCAP – F 7.8.1/Rev.2/03.2020.

Rezultatele notate "<" reprezinta valori situate sub limita de cuantificare a metodei, valorile scrise sub forma "()" sunt estimative. CMA: concentratia maxima admisa.

RAPORT DE INCERCARE nr. / data emiterii: PT022181 / 13-01-2022
Nume client: EURO APAVOL SA / STR. GHEORGHE DINCA, SERG. nr. 19 A- 19B-19C VOLUNTARI

 Provenienta probei: **proba apa potabila**

Adresa prelevare: Str. Erou Iancu Nicolae Nr 6- Voluntari, Gradinita Tinkerbell

 Data prelevării probei - ora prelevare: **10-01-2022 10:00**

 Data primirii probei / data efectuării analizelor: **10-01-2022 10:55 / 10-01-2022 - 13-01-2022**
Cine a recoltat proba: CLIENT EXTERN
I.DETERMINARI FIZICO-CHIMICE

Nr. crt.	Indicatori organoleptici si fizico-chimici	Unitate de masura	Valori obtinute	Valori maxim admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Miros*	-	Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN 1622: 2007
2	Culoare*	grade / nm pH/Temp.(°C)	1 / 455 7.58/21.7 Acceptabila	Acceptabila consumatorilor si nici o modificare anormala	SR EN ISO 7887: 2012
3	pH	pH/Temp.(°C)	7.58/21.7	≥6.5; ≤9.5	SR EN ISO 10523:2012
4	Conductivitate	µS/cm la 25°C	374	2500	SR EN 27888:1997
5	Amoniu	mg/l	(0.001) <0.05	0.50	SR ISO 7150-1:2001
6	Fier	µg/l	(3) <10	200	SR ISO 6332:1996 SR ISO 6332:1996/C91:2006
7	Duritate totala	grade germane	8.99	≥ 5	SR ISO 6059:2008
8	Aluminiu	µg/l	43	200	SR ISO 10566:2001
9	Oxidabilitate (metoda indicelui de permanganat)	mgO ₂ /l	1.62	5.0	SR EN ISO 8467:2001
10	Clor rezidual liber	mg/l	0.44 ¹	≥0.10; ≤0.50	SR EN ISO 7393-2:2018
11	Turbiditate	NTU	0.242	≤ 5.0	SR EN ISO 7027-1:2016
12	Nitriti	mg/l	(0) <0.033	0.50	SR EN ISO 13395:2002
13	Nitrati	mg/l	6.33	50	SR EN ISO 13395:2002

10 h:55 min - reprezinta diferenta de timp intre prelevare si analiza; maxim 6 ore

II.DETERMINARI MICROBIOLOGICE

Nr. crt.	Indicatori microbiologici	Unitate de masura	Valori obtinute	Valori admise (conf.L. 458/2002 cu modificarile ulterioare)	Referential
1	Bacterii coliforme	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
2	Escherichia coli	UFC/100 ml	0	0	SR EN ISO 9308-1: 2015 SR EN ISO 9308-1: 2015/A1:2017
3	Enterococi	UFC/100 ml	0	0	SR EN ISO 7899 - 2 : 2002
4	Numar de colonii la 22° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004
5	Numar de colonii la 37° C	UFC/ml	0	Nici o modificare anormala	SR EN ISO 6222:2004

*Nota: Apa netratata. Nici o modificare anormala: nr. de colonii la 37°C/22°C < de 300 UFC/ml.

Apa tratata. Nici o modificare anormala: nr. de colonii la 37°C < 20 UFC/ml.

nr. de colonii la 22°C < 100 UFC/ml.

Informatiile privind prelevarea probei se regasesc in Formularul de receptie PT022181 / 10-01-2022

 Verificat / Aprobat / Sef laborator
 Nicoleta Ramiresi

 Intocmit inginer chimist
 Anca Iosub

 Intocmit biolog
 Liliana Albu






Rezultatele incercarilor se refera numai la proba de apa analizata. Proba de apa are caracter momentan.

Proba se preleveaza conform procedurii generale cod: LCCAP – PG 7.3.

Raportul de incercare se completeaza in doua exemplare.

* Incercare neacreditata.

Document privat, emis de Apa Nova Bucuresti SA, contine date cu caracter personal © – a nu se difuza neautorizat in extern.

Reproducerea partiala este interzisa fara acordul laboratorului.

Cod LCCAP – F 7.8.1/Rev.2/03.2020.

Rezultatele notate "<" reprezinta valori situate sub limita de cuantificare a metodei, valorile scrise sub forma "()" sunt estimative. CMA: concentratia maxima admisa.